


STEEL BLASTING MACHINE

350S

TECHNICAL DATA

Working width	350mm
Blasting capacity	Up to 38 m ² /h on steel & Up to 300 m ² /h
Blast wheel power	11kW
Drive system / Speed	Hydraulic / 1 – 30 m/min
Weight	415 kg
Output motor	3 x 400V / 50Hz or 60Hz
Electrical CEE plug	32A / Three phase – 5 pole
Dimensions L / W / H	1.350 mm / 650mm / 1.100mm
Push / Pull machine	Push
Abrasive consumption	0,2 – 0,5 kg/m ²
Application	Steel / concrete

OPTIONS / ACCESSORIES

Dustcollector	BDC-655	 BDC-655
Abrasive S390 / S460 / SG16 / SG25	999-0390 / 999-0460 / 999-0016 / 999-0025	
Suction hose Ø127 (minimum 15m)	492019	
Magnetic broom R600 (only on concrete)	001238	
Maintenance kit	On request	
Personal safety features	On request	


EXBRITE
 SURFACE PREPARATION EQUIPMENTS, ACCESSORIES AND DIAMOND TOOLS
 exbrite@exbrite.com

MAIN ASSETS

- Closed circuit which is dust free, when connected to an appropriate Blastrac dust collector.
- Hydraulic drive system.
- Independent drive for each rear wheel.
- Increased productivity, reduced maintenance costs.
- Fast and efficient removal of coatings, paint, rust and mill scale on steel and concrete surfaces.
- Ergonomic design and user friendly control panel.
- Especially designed to be used on ship decks, steel plates, platforms, oil platform helpdesks, oil platform walkways, smoke tracks, bridge decks, navy ship decks and steel floors.